


Depth 2-7/8" (7.3cm)



Ships World Wide

^{*} All specifications subject to change without notice, Final products & Measurements may vary from this brochure




Name	
Contact:	ImperialProductions®
Phone #	
Email:	
Address	
	ZIP/PC
MATERIAL SELECTION	
ArchPolymerTM A synthetic Plaster, White Prime # of Feet for Resid # of FireRated Feet for Comm	
GRG-NeoPlasterTM A new age plaster, Class A # of Units	A fire rated (Interior)
ResinMold® A Synaptic polymer for Curves & A See Next Page	arches, Class A fire rated
VALUE ADDED FINISHES Factory Paint Color Code	Finish
Metal Coated: Type:	

^{*} Possible Limitations due to Quantity Requested and/or Application



Profile: IPJP5006 Flexible ResinMold®

1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**






Please Provide Inside Crown Measurements

Horizontal A = ____ Center Rise B = ____ Mid Rise C = ____

D= Distance to Side from C _____ Number of Arches: ____

2) CIRCLE

Diameter A



or Circumference

of Circles _____



3) CURVED WALL Plan View Drawings

Convex Wall

A = Depth =

-----| Length of Curve

Concave Wall

A = Depth= ____

Length of Curve

4) STRAIGHT LENGTHS

Total Feet (Meters) Required: _____